

EE-559 – Deep learning

## 4.6. Writing a PyTorch module

François Fleuret

<https://fleuret.org/ee559/>

Wed May 1 15:08:28 UTC 2019

We now have all the bricks needed to build our first convolutional network from scratch. The last technical point is the tensor shape between layers.

We now have all the bricks needed to build our first convolutional network from scratch. The last technical point is the tensor shape between layers.

Both the convolutional and pooling layers take as input batches of samples, each one being itself a 3d tensor  $C \times H \times W$ .

The output has the same structure, and tensors have to be explicitly reshaped before being forwarded to a fully connected layer.

We now have all the bricks needed to build our first convolutional network from scratch. The last technical point is the tensor shape between layers.

Both the convolutional and pooling layers take as input batches of samples, each one being itself a 3d tensor  $C \times H \times W$ .

The output has the same structure, and tensors have to be explicitly reshaped before being forwarded to a fully connected layer.

```
>>> from torchvision.datasets import MNIST
>>> mnist = MNIST('./data/mnist/', train = True, download = True)
>>> d = mnist.train_data
>>> d.size()
torch.Size([60000, 28, 28])
>>> x = d.view(d.size(0), 1, d.size(1), d.size(2))
>>> x.size()
torch.Size([60000, 1, 28, 28])
>>> x = x.view(x.size(0), -1)
>>> x.size()
torch.Size([60000, 784])
```

A classical LeNet-like model could be:

Input sizes / operations	Nb. parameters	Nb. products
$1 \times 28 \times 28$		

A classical LeNet-like model could be:

Input sizes / operations	Nb. parameters	Nb. products
$1 \times 28 \times 28$ <code>nn.Conv2d(1, 32, kernel_size=5)</code> $32 \times 24 \times 24$	$32 \times (5^2 + 1) = 832$	$32 \times 24^2 \times 5^2 = 460,800$

A classical LeNet-like model could be:

Input sizes / operations	Nb. parameters	Nb. products
$1 \times 28 \times 28$ <code>nn.Conv2d(1, 32, kernel_size=5)</code> $32 \times 24 \times 24$	$32 \times (5^2 + 1) = 832$	$32 \times 24^2 \times 5^2 = 460,800$
<code>F.max_pool2d(., kernel_size=3)</code> $32 \times 8 \times 8$	0	0

A classical LeNet-like model could be:

Input sizes / operations	Nb. parameters	Nb. products
$1 \times 28 \times 28$ <code>nn.Conv2d(1, 32, kernel_size=5)</code> $32 \times 24 \times 24$	$32 \times (5^2 + 1) = 832$	$32 \times 24^2 \times 5^2 = 460,800$
<code>F.max_pool2d(., kernel_size=3)</code> $32 \times 8 \times 8$	0	0
<code>F.relu(.)</code> $32 \times 8 \times 8$	0	0



A classical LeNet-like model could be:

Input sizes / operations	Nb. parameters	Nb. products
$1 \times 28 \times 28$ <code>nn.Conv2d(1, 32, kernel_size=5)</code> $32 \times 24 \times 24$	$32 \times (5^2 + 1) = 832$	$32 \times 24^2 \times 5^2 = 460,800$
<code>F.max_pool2d(., kernel_size=3)</code> $32 \times 8 \times 8$	0	0
<code>F.relu(.)</code> $32 \times 8 \times 8$	0	0
<code>nn.Conv2d(32, 64, kernel_size=5)</code> $64 \times 4 \times 4$	$64 \times (32 \times 5^2 + 1) = 51,264$	$32 \times 64 \times 4^2 \times 5^2 = 819,200$

A classical LeNet-like model could be:

Input sizes / operations	Nb. parameters	Nb. products
$1 \times 28 \times 28$ <code>nn.Conv2d(1, 32, kernel_size=5)</code> $32 \times 24 \times 24$	$32 \times (5^2 + 1) = 832$	$32 \times 24^2 \times 5^2 = 460,800$
<code>F.max_pool2d(., kernel_size=3)</code> $32 \times 8 \times 8$	0	0
<code>F.relu(.)</code> $32 \times 8 \times 8$	0	0
<code>nn.Conv2d(32, 64, kernel_size=5)</code> $64 \times 4 \times 4$	$64 \times (32 \times 5^2 + 1) = 51,264$	$32 \times 64 \times 4^2 \times 5^2 = 819,200$
<code>F.max_pool2d(., kernel_size=2)</code> $64 \times 2 \times 2$	0	0

A classical LeNet-like model could be:

Input sizes / operations	Nb. parameters	Nb. products
$1 \times 28 \times 28$		
<code>nn.Conv2d(1, 32, kernel_size=5)</code>	$32 \times (5^2 + 1) = 832$	$32 \times 24^2 \times 5^2 = 460,800$
$32 \times 24 \times 24$		
<code>F.max_pool2d(., kernel_size=3)</code>	0	0
$32 \times 8 \times 8$		
<code>F.relu(.)</code>	0	0
$32 \times 8 \times 8$		
<code>nn.Conv2d(32, 64, kernel_size=5)</code>	$64 \times (32 \times 5^2 + 1) = 51,264$	$32 \times 64 \times 4^2 \times 5^2 = 819,200$
$64 \times 4 \times 4$		
<code>F.max_pool2d(., kernel_size=2)</code>	0	0
$64 \times 2 \times 2$		
<code>F.relu(.)</code>	0	0
$64 \times 2 \times 2$		

A classical LeNet-like model could be:

Input sizes / operations	Nb. parameters	Nb. products
$1 \times 28 \times 28$		
<code>nn.Conv2d(1, 32, kernel_size=5)</code>	$32 \times (5^2 + 1) = 832$	$32 \times 24^2 \times 5^2 = 460,800$
$32 \times 24 \times 24$		
<code>F.max_pool2d(., kernel_size=3)</code>	0	0
$32 \times 8 \times 8$		
<code>F.relu(.)</code>	0	0
$32 \times 8 \times 8$		
<code>nn.Conv2d(32, 64, kernel_size=5)</code>	$64 \times (32 \times 5^2 + 1) = 51,264$	$32 \times 64 \times 4^2 \times 5^2 = 819,200$
$64 \times 4 \times 4$		
<code>F.max_pool2d(., kernel_size=2)</code>	0	0
$64 \times 2 \times 2$		
<code>F.relu(.)</code>	0	0
$64 \times 2 \times 2$		
<code>x.view(-1, 256)</code>	0	0
256		

A classical LeNet-like model could be:

Input sizes / operations	Nb. parameters	Nb. products
<code>1 × 28 × 28</code>		
<code>nn.Conv2d(1, 32, kernel_size=5)</code>	$32 \times (5^2 + 1) = 832$	$32 \times 24^2 \times 5^2 = 460,800$
<code>32 × 24 × 24</code>		
<code>F.max_pool2d(., kernel_size=3)</code>	0	0
<code>32 × 8 × 8</code>		
<code>F.relu(.)</code>	0	0
<code>32 × 8 × 8</code>		
<code>nn.Conv2d(32, 64, kernel_size=5)</code>	$64 \times (32 \times 5^2 + 1) = 51,264$	$32 \times 64 \times 4^2 \times 5^2 = 819,200$
<code>64 × 4 × 4</code>		
<code>F.max_pool2d(., kernel_size=2)</code>	0	0
<code>64 × 2 × 2</code>		
<code>F.relu(.)</code>	0	0
<code>64 × 2 × 2</code>		
<code>x.view(-1, 256)</code>	0	0
<code>256</code>		
<code>nn.Linear(256, 200)</code>	$200 \times (256 + 1) = 51,400$	$200 \times 256 = 51,200$
<code>200</code>		

A classical LeNet-like model could be:

Input sizes / operations	Nb. parameters	Nb. products
<code>1 × 28 × 28</code>		
<code>nn.Conv2d(1, 32, kernel_size=5)</code>	$32 \times (5^2 + 1) = 832$	$32 \times 24^2 \times 5^2 = 460,800$
<code>32 × 24 × 24</code>		
<code>F.max_pool2d(., kernel_size=3)</code>	0	0
<code>32 × 8 × 8</code>		
<code>F.relu(.)</code>	0	0
<code>32 × 8 × 8</code>		
<code>nn.Conv2d(32, 64, kernel_size=5)</code>	$64 \times (32 \times 5^2 + 1) = 51,264$	$32 \times 64 \times 4^2 \times 5^2 = 819,200$
<code>64 × 4 × 4</code>		
<code>F.max_pool2d(., kernel_size=2)</code>	0	0
<code>64 × 2 × 2</code>		
<code>F.relu(.)</code>	0	0
<code>64 × 2 × 2</code>		
<code>x.view(-1, 256)</code>	0	0
<code>256</code>		
<code>nn.Linear(256, 200)</code>	$200 \times (256 + 1) = 51,400$	$200 \times 256 = 51,200$
<code>200</code>		
<code>F.relu(.)</code>	0	0
<code>200</code>		

A classical LeNet-like model could be:

Input sizes / operations	Nb. parameters	Nb. products
$1 \times 28 \times 28$		
<code>nn.Conv2d(1, 32, kernel_size=5)</code>	$32 \times (5^2 + 1) = 832$	$32 \times 24^2 \times 5^2 = 460,800$
$32 \times 24 \times 24$		
<code>F.max_pool2d(., kernel_size=3)</code>	0	0
$32 \times 8 \times 8$		
<code>F.relu(.)</code>	0	0
$32 \times 8 \times 8$		
<code>nn.Conv2d(32, 64, kernel_size=5)</code>	$64 \times (32 \times 5^2 + 1) = 51,264$	$32 \times 64 \times 4^2 \times 5^2 = 819,200$
$64 \times 4 \times 4$		
<code>F.max_pool2d(., kernel_size=2)</code>	0	0
$64 \times 2 \times 2$		
<code>F.relu(.)</code>	0	0
$64 \times 2 \times 2$		
<code>x.view(-1, 256)</code>	0	0
256		
<code>nn.Linear(256, 200)</code>	$200 \times (256 + 1) = 51,400$	$200 \times 256 = 51,200$
200		
<code>F.relu(.)</code>	0	0
200		
<code>nn.Linear(200, 10)</code>	$10 \times (200 + 1) = 2,010$	$10 \times 200 = 2,000$
10		

A classical LeNet-like model could be:

Input sizes / operations	Nb. parameters	Nb. products
<code>1 × 28 × 28</code>		
<code>nn.Conv2d(1, 32, kernel_size=5)</code>	$32 \times (5^2 + 1) = 832$	$32 \times 24^2 \times 5^2 = 460,800$
<code>32 × 24 × 24</code>		
<code>F.max_pool2d(., kernel_size=3)</code>	0	0
<code>32 × 8 × 8</code>		
<code>F.relu(.)</code>	0	0
<code>32 × 8 × 8</code>		
<code>nn.Conv2d(32, 64, kernel_size=5)</code>	$64 \times (32 \times 5^2 + 1) = 51,264$	$32 \times 64 \times 4^2 \times 5^2 = 819,200$
<code>64 × 4 × 4</code>		
<code>F.max_pool2d(., kernel_size=2)</code>	0	0
<code>64 × 2 × 2</code>		
<code>F.relu(.)</code>	0	0
<code>64 × 2 × 2</code>		
<code>x.view(-1, 256)</code>	0	0
<code>256</code>		
<code>nn.Linear(256, 200)</code>	$200 \times (256 + 1) = 51,400$	$200 \times 256 = 51,200$
<code>200</code>		
<code>F.relu(.)</code>	0	0
<code>200</code>		
<code>nn.Linear(200, 10)</code>	$10 \times (200 + 1) = 2,010$	$10 \times 200 = 2,000$
<code>10</code>		

Total **105,506** parameters and **1,333,200** products for the forward pass.



## Creating a module

PyTorch offers a sequential container module `torch.nn.Sequential` to build simple architectures.

For instance a MLP with a 10 dimension input, 2 dimension output, ReLU activation function and two hidden layers of dimensions 100 and 50 can be written as:

```
model = nn.Sequential(  
    nn.Linear(10, 100), nn.ReLU(),  
    nn.Linear(100, 50), nn.ReLU(),  
    nn.Linear(50, 2)  
);
```

However for any model of practical complexity, the best is to write a sub-class of `torch.nn.Module`.

To create a `Module`, one has to inherit from the base class and implement the constructor `__init__(self, ...)` and the forward pass `forward(self, x)`.

To create a `Module`, one has to inherit from the base class and implement the constructor `__init__(self, ...)` and the forward pass `forward(self, x)`.

```
class Net(nn.Module):
    def __init__(self):
        super(Net, self).__init__()
        self.conv1 = nn.Conv2d(1, 32, kernel_size=5)
        self.conv2 = nn.Conv2d(32, 64, kernel_size=5)
        self.fc1 = nn.Linear(256, 200)
        self.fc2 = nn.Linear(200, 10)

    def forward(self, x):
        x = F.relu(F.max_pool2d(self.conv1(x), kernel_size=3, stride=3))
        x = F.relu(F.max_pool2d(self.conv2(x), kernel_size=2, stride=2))
        x = x.view(-1, 256)
        x = F.relu(self.fc1(x))
        x = self.fc2(x)
        return x
```

Inheriting from `torch.nn.Module` provides many mechanisms implemented in the superclass.

First, the `(...)` operator is redefined to call the `forward(...)` method and run additional operations. The forward pass should be executed through this operator and not by calling `forward` explicitly.

Inheriting from `torch.nn.Module` provides many mechanisms implemented in the superclass.

First, the `(...)` operator is redefined to call the `forward(...)` method and run additional operations. The forward pass should be executed through this operator and not by calling `forward` explicitly.

Using the class `Net` we just defined

```
model = Net()
input = torch.empty(12, 1, 28, 28).normal_()
output = model(input)
print(output.size())
```

prints

```
torch.Size([12, 10])
```

Also, all `Parameters` added as class attributes are seen by `Module.parameters()`.

```
class Net(nn.Module):
    def __init__(self):
        super(Net, self).__init__()
        self.conv1 = nn.Conv2d(1, 32, kernel_size=5)
        self.conv2 = nn.Conv2d(32, 64, kernel_size=5)
        self.fc1 = nn.Linear(256, 200)
        self.fc2 = nn.Linear(200, 10)
/.../

model = Net()

for k in model.parameters():
    print(k.size())
```

Also, all `Parameters` added as class attributes are seen by `Module.parameters()`.

```
class Net(nn.Module):
    def __init__(self):
        super(Net, self).__init__()
        self.conv1 = nn.Conv2d(1, 32, kernel_size=5)
        self.conv2 = nn.Conv2d(32, 64, kernel_size=5)
        self.fc1 = nn.Linear(256, 200)
        self.fc2 = nn.Linear(200, 10)

/.../

model = Net()

for k in model.parameters():
    print(k.size())
```

**prints**

```
torch.Size([32, 1, 5, 5])
torch.Size([32])
torch.Size([64, 32, 5, 5])
torch.Size([64])
torch.Size([200, 256])
torch.Size([200])
torch.Size([10, 200])
torch.Size([10])
```





Parameters added in dictionaries or arrays are not seen.

```
class Buggy(nn.Module):
    def __init__(self):
        super(Buggy, self).__init__()
        self.conv = nn.Conv2d(1, 32, kernel_size=5)
        self.param = Parameter(torch.zeros(123, 456))
        self.other_stuff = [ nn.Linear(543, 21) ]

model = Buggy()

for k in model.parameters():
    print(k.size())
```



Parameters added in dictionaries or arrays are not seen.

```
class Buggy(nn.Module):
    def __init__(self):
        super(Buggy, self).__init__()
        self.conv = nn.Conv2d(1, 32, kernel_size=5)
        self.param = Parameter(torch.zeros(123, 456))
        self.other_stuff = [ nn.Linear(543, 21) ]
```

```
model = Buggy()
```

```
for k in model.parameters():
    print(k.size())
```

prints

```
torch.Size([123, 456])
torch.Size([32, 1, 5, 5])
torch.Size([32])
```

A simple option is to add modules in a `torch.nn.ModuleList`, which is a list of modules properly dealt with by PyTorch's machinery.

```
class AnotherNotBuggy(nn.Module):
    def __init__(self):
        super(AnotherNotBuggy, self).__init__()
        self.conv = nn.Conv2d(1, 32, kernel_size=5)
        self.param = Parameter(torch.zeros(123, 456))
        self.other_stuff = nn.ModuleList()
        self.other_stuff.append(nn.Linear(543, 21))

model = AnotherNotBuggy()

for k in model.parameters():
    print(k.size())
```

prints

```
torch.Size([123, 456])
torch.Size([32, 1, 5, 5])
torch.Size([32])
torch.Size([21, 543])
torch.Size([21])
```

As long as you use autograd-compliant operations, the backward pass is implemented automatically.

This is crucial to allow the optimization of the `Parameters` with gradient descent.

The end